

PYC Kraft Paper Tape Catalogue

Small MOQ

Lower cost

One-stop
service

Quality
assurance

Free
warehouse

Eco-friendly

PYC GREENWORKS GROUP LIMITED

Website: www.pyc365.com

E-mail: hello@pyc365.com

Tel: +86 592 7120813

AU address: 3 Brock Court Wallan Victoria Australia 3756

China address: No.16 Haijing East Road, Haicang, Xiamen,
China, 361026



ABOUT PYC

From Australia and China

The PYC family is made up of two entrepreneurs (Julia & Mike), Julia comes from China, Mike comes from Australia. They want to make a real difference for the planet together. Everyone knows that plastic causes devastation to the environment - especially for marine life! The Internet and social media are full of heartbreaking photos that show the terrible effects that plastics have on nature. But what can we actually do to change things? This is where the idea came about.



Our history


1998 set up first owned factory in China to make recycled printing packaging.

2000 set up second owned factory in China to make reusable bags.

2013 started our cooperation with Alibaba group and involved in exporting business.

2016 set up Xiamen branch, mainly focus on research of eco-friendly products.

2020 registered as PYC Australia in Melbourne to provide better service for AU market.



Planting Trees

When you purchase PYC eco friendly products, you are helping Compensation CO2 plant trees. For us, reducing our carbon footprint and benefitting the health of our beautiful planet is crucial. Since the beginning of this venture, over 20,000 trees have been planted in China and Australia, — thanks to you!

Our commitment

We are committed to use sustainable materials and manufacturing practices customizing wide range of biodegradable products, providing high-quality packaging also recycled /compostable idea for promotional for small business owners, entrepreneurs, start-ups, marketers and more. We like to look at the overall impact of the products we are manufacturing, u can follow our FB, till now we started providing over 5000 brands on non-plastic packaging, green promotional gift for boosting their brands. We also view success as helping our brands take steps to reduce their waste. We need you all in this journey and make us success.

Donations

Since PYC beginnings, we have made numerous donations to various organizations for fundraising events or volunteer tourism. Notably, we donated 15,000 cotton bags to non-profit organization in AU and China, and 30,000 PLA doggy bag and 4,000 refillable bottle for low-income families.

Together, for an eco-friendly lifestyle!

PYC australia, it's more than a brand, it's a lifestyle. Let's reduce our environmental footprint together by eliminating plastic waste and planting trees! Becoming eco-responsible takes a few simple steps and that's what we propose. Join PYC journey!

Contact us

Phone: +86 592 7120813

Email : hello@pyc365.com

Whatsapp: +86 181 4411 3427



EXPRESS YOUR BRAND BY ECO-PACK




- 1 Self Adhesive Paper Tape
- 2 Water Activated Tape
- 3 Honeycomb Kraft Paper

Self Adhesive Kraft Paper Tape

Best choice for E-commerce packaging



Dark color logo printing good for cheaper material on original kraft paper, While light color printing would be affected by kraft base color.



- 1. Writable
- 2. Suitable unrolled
- 3. Matte on the outside
- 4. Good adhesion over 7N/25mm
- 5. 24 months shelf life

Material:		63g Kraft paper coated with rubber adhesive			
Certification:		RoHs			
Printing:		1~6 colors Pantone code, foil and CMYK printing			
Standard wide:		24,48,50,76mm (1 inch, 2inches, 3inches)or customized			
Standard length:		50m,100m,150m,500, jumbo roll 1500m or customized			
180° Peel adhesion:		10.02N/25mm			
Thickness:	130±5µm	Elongation:	4%	Initial tack :	25#
Tendile strengt:	155N/25mm	Holding power:	>10Hrs	Temperature resistance :	80°C no residual
Bearing reference 20kg (Viscosity is affected by climate, ambient temperature, humidity,the actual situation of the material surface of the carton and other factors.)					

Water Activated Reinforce Kraft Paper Tape

Made of vegetable-based adhesives that are odor-free and help your packages look neat and well put together

Dark color logo printing good for cheaper material on original kraft paper, While light color printing would be affected by kraft base color.

White paper base material good for multi-colour printing.



Material:	68g Kraft paper coated with starch adhesive				
Certification:	SVHS,RoHs				
Printing:	1~6 colors Pantone code, foil and CMYK printing				
Standard wide:	24,48,50,76mm (1 inch, 2inches, 3inches)or customized				
Standard length:	50m,100m,150m,500, jumbo roll 1500m customized				
180° peel adhesion:	3.1N/25mm				
Thickness:	180µm with line 150µm without line	Elongation:	5.58%	Initial tack :	5#
Tendile strengt:	MD:523N/5cm TD:292N/5cm	Holding power:	>10Hrs	Temperature resistance :	60°C/h
Bearing reference: 20kg (Viscosity is affected by climate, ambient temperature, humidity,the actual situation of the material surface of the carton and other factors.)					



White Water-activated Kraft tape

Without thread, water-activated kraft paper material.



White Water-activated Kraft Tape 	Certification	SVHC, RoHS		
	Printing	1~6 colors Pantone code, foil and CMYK printing		
	Standard size	50mmx50Y 60mmx50Y 76mmx50Y		
	Thickness	150±5µm	Load bearing	20KG
	Application	Product application recommended for inner carton sealing or for lightweight cartons; Unrepeatable to avoid theft/cover for rewriting/branding package		

Kraft Gummed Paper Tape

Without thread, biodegradable and compostable material.




Whole Wood Pulp Wet Kraft Tape 	Certification	SVHC, RoHS		
	Printing	1~6 colors Pantone code, foil and CMYK printing		
	Standard size	50mmx50Y 60mmx50Y 76mmx50Y		
	Thickness	120µm	Load bearing	50KG
	Application	Product application recommended for inner carton sealing or for lightweight cartons; Unrepeatable to avoid theft/cover for rewriting/branding package		

Semi Wood Paddle Wet Kraft Tape 	Certification	SVHC, RoHS		
	Printing	1~6 colors Pantone code, foil and CMYK printing		
	Standard size	50mmx50Y 60mmx50Y 76mmx50Y		
	Thickness	120µm	Load bearing	50KG
	Application	Product application recommended for inner carton sealing or for lightweight cartons; Unrepeatable to avoid theft/cover for rewriting/branding package		

Packing Tape

Without thread,self adhesive tape material.



Packing tape 	Certification	SVHC,RoHS		
	Printing	1~6 colors Pantone code, foil and CMYK printing		
	Standard size	50mmx50Y 60mmx50Y 76mmx50Y		
	Thickness	110±5µm	Load bearing	20KG
	Application	Product application recommended for inner carton sealing or for lightweight cartons; Unrepealable to avoid theft/cover for rewriting/branding package		



	Kraft Paper Tape Electric Dispenser			
	Size	45*33*28cm	Color	blue/grey
	Available for roll	length: from 15cm to 210cm (adjustable ±1cm) width: from 40mm to 80mm Available roll diameter: within 20cm		
	Voltage	200~300V	Power	500W
	Speed	30cm/S	Voltage	200~300V

Kraft Paper Tape Dispenser					
Machine size	32*10*13cm	Weight:	N.W.:0.7kg G.W.:0.83kg		
Available for roll	diameter within 17cm, wide within 80mm				
Package detail	Inner package: 34.5x14.5x11cm(opp bag + non-woven bag with white box) Outer package: 12 sets/carton, 59x35x34cm, 10kg Accessories: 3 screws in 1 poly bag				
Optional Accessories:	2 pieces of location scrap for wide, 2 rolls of tape with custom size				
Custom	color of body and logo sticker/print				

Remark:Tape size reference: reinforced Kraft tape white 114m = brown 137m ≈ 14.5cm diameter



Honeycomb Kraft Paper

Use to wrapping&protect fragile,instead of plastic



Environmentally degradable




Save storage



Improve packaging efficiency



Certification	FSC		
Color	Kraft, White, Black or customized		
Standard Wide	300mm(12 inches), 380mm(15 inches), 500mm (20 inches), or customized		
Standard Length	50m(164ft), 100m(328ft), 250m (820ft)		
Stretching ratio	1: 1.6	Weight/ m²	Extend rate
Application	Cushion protection for fragile		



Honeycomb Kraft Paper Set

Kraft paper1 Roll:	500mm x 90m	White liner:	300mm x 110mm
Inner pack size:	550 x 230 x 165mm	Outer pack size:	570 x 250 x 190mm
G.W.:	6.5KG		
Including:	add tension construction and 3 rolling paper core for white liner		
Application	Cushioning for fragile products and heavy duty protection		



Honeycomb Kraft Paper With Dispenser Box(1roll)

Kraft paper1 Roll:	380mm x 80m		
Inner pack size:	470*165*165mm	Outer pack size:	490*165*185mm
G.W.:	3.6KG		
Application	Cushioning for fragile products and heavy duty protection		





Kraft Paper Tape Dispenser

Tension adjustable, efficient pull and wrap


Honeycomb kraft paper dispenser

Size	82x48x18cm		
Available for roll	inner core 38mm(1.5in)/50mm(2in), max outer roll diameter 250mm		
Weight:	17kg	Package	Kraft box
Material:	metal		
Application	Packing center, warehouse, factory		






Product name	Cohesive tape for coiled or bundled tubing		
Material	110g paper	Color	White
Thickness	150 ± 10 (μm)	Weight	110 ± 10 (g/m ²)
Tensile strength	68.7 or more (N/15mm)	Stretch at break	1.0 or more
Standard size	Width: 11mm/ 22mm/Customize, Length: 500m/Customize		
Application	Cohesive paper is a low versatile packaging material with a cohesive coating on the inside. Using cohesive paper, you can wrap and protect against surface scratches on virtually all finished products no matter the size, shape or form. The cohesive surfaces will adhere to themselves and not the product being packaged without leaving any residue.		



Product name	Hot melt crepe paper tape		
Material	Crepe paper	Color	Light yellow
Thickness	130μ	GSM	80g
180°peel adhesion	80 N/25.4mm	Glue	Hot melt
Elongation	9%	Tensile strength	80 N/25.4 mm
Melting point	100-128°C	440g kraft linerboard size	18mm x 500m
Standard size	Width: 12mm/20mm/Customize, Length: 500m/Customize		
Application	Hot melt crepe paper tape with low initial adhesive force, excellent adhesion immediately when heated, good fixing power in combination with paper tape carrier, high durability, weather resistance, good solvent resistance		



Product name	Cohesive tape For Electronic Components				
Material	Kraft Paper	Color	White/Brown	GSM	Brown:70g/90g
Thickness	120μm	Adhesion	6 N/25.4mm		White:80g
Tensile strength	25.3 (N/mm)	Glue	Rubber		
Standard size	Width: 12mm/20mm/Customize, Length: 500m/Customize				
Application	Cohesive paper is a low versatile packaging material with a cohesive coating on the inside. Using cohesive paper, you can wrap and protect against surface scratches on virtually all finished products no matter the size, shape or form. The cohesive surfaces will adhere to themselves and not the product being packaged without leaving any residue.				



Product name	Cohesive tape For Furniture or Automatic Parts					
Material	Kraft paper			Color		Brown
Thickness	120μm	GSM	70g/80g/90g		Glue	Rubber
Tensile strength	25.3 (N/ mm)			Adhesion		6N/25.4mm
Standard size	152.4mm x 213m, 254mm x 213m , 381mm x 213m , 190.5mm x 213m					
Application	Cohesive paper is a low versatile packaging material with a cohesive coating on the inside. Using cohesive paper, you can wrap and protect against surface scratches on virtually all finished products no matter the size, shape or form. The cohesive surfaces will adhere to themselves and not the product being packaged without leaving any residue.					

CUSTOM YOUR TAPE

1~6 pantone colors or cmyk print



AI



CDR



PDF



PSD

 pantone 186C



Stock design & free mould for both water-activated and self-adhesive kraft tape



CODE: 25mm, 30mm, 38mm, 50mm,
76mm, 80mm & customized



Custom code printed: 1~2colors

Custom your logo
color: 1~2colors



FBA label



Bag Sealer

Less plastic faster release



TAPE SIZE: 12MMX50M
CORE: 76MM PAPER CORE
OPTIONAL MATERIAL:
GREEN, YELLOW, BLUE, AND
ORIGINAL KRAFT PAPER TAPE
ADHESIVE: ECO-FRIENDLY SELF ADHESIVE



HOW TO USE BAG SEALER?



MACHINE SIZE: 22X7.5X15.5CM
OPTIONAL COLOR: RED, BLUE, BLACK
PACKAGING: 24PCS/CARTON,
52X47X34CM, 16.6KG/CARTON